

FORM PTO-1390 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE  TRANSMITTAL LETTER TO THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. 371		ATTORNEY'S DOCKET NO.  PHN 17,707  U.S. Application No. (if known, see 37 CFR 1.5) <div style="font-size: 24pt; font-weight: bold;">097 868375</div>
INTERNATIONAL APPLICATION NO. <b>PCT/EP00/10284</b>	INTERNATIONAL FILING DATE <b>OCTOBER 18, 2000</b>	PRIORITY DATE CLAIMED <b>OCTOBER 20, 1999</b>
TITLE OF INVENTION  <b>INFORMATION PROCESSING DEVICE</b>		
APPLICANT(S) FOR DO/EO/US  <b>ANTON OGUZHAN ANDREWS, PETER GEORGE MATTHEWS, LIRA NIKOLOVSKA</b>		
Applicant(s) herewith submit to the United States Designated/Elected Office (DO/EO/US) the following items and other information:		
<ol style="list-style-type: none"> <li>1. <input checked="" type="checkbox"/> This is a FIRST submission of items concerning a filing under 35 U.S.C. 371.</li> <li>2. <input type="checkbox"/> This is a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. 371.</li> <li>3. <input checked="" type="checkbox"/> This express request to begin national examination procedures (35 U.S.C. 371(f)) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. 371(b) and PCT Articles 22 and 39(1).</li> <li>4. <input type="checkbox"/> A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date.</li> <li>5. <input checked="" type="checkbox"/> A copy of the International Application as filed (35 U.S.C. 371 (c)(2))             <ol style="list-style-type: none"> <li>a. <input checked="" type="checkbox"/> is transmitted herewith (required only if not transmitted by the International Bureau).</li> <li>b. <input type="checkbox"/> has been transmitted by the International Bureau.</li> <li>c. <input type="checkbox"/> is not required, as the application was filed in the United States Receiving Office (RO/US).</li> </ol> </li> <li>6. <input type="checkbox"/> A translation of the International Application into English (35 U.S.C. 371(c)(2))</li> <li>7. <input checked="" type="checkbox"/> Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3))             <ol style="list-style-type: none"> <li>a. <input type="checkbox"/> are transmitted herewith (required only if not transmitted by the International Bureau).</li> <li>b. <input type="checkbox"/> have been transmitted by the International Bureau.</li> <li>c. <input type="checkbox"/> have not been made; however, the time limit for making such amendments has NOT expired.</li> <li>d. <input checked="" type="checkbox"/> have not been made and will not be made.</li> </ol> </li> <li>8. <input type="checkbox"/> A translation of the amendment to the claims under PCT Article 19 (35 U.S.C. 371 (c)(3)).</li> <li>9. <input checked="" type="checkbox"/> An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)).</li> <li>10. <input type="checkbox"/> A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)).</li> </ol>		
Items 11. to 16. below concern document(s) or information included:		
<ol style="list-style-type: none"> <li>11. <input type="checkbox"/> An Information Disclosure Statement under 37 C.F.R. 1.97 and 1.98.</li> <li>12. <input checked="" type="checkbox"/> An assignment document for recording. A separate cover sheet in compliance with 37 C.F.R. 3.28 and 3.31 is included.</li> <li>13. <input checked="" type="checkbox"/> A FIRST preliminary amendment.  <input type="checkbox"/> A SECOND OR SUBSEQUENT preliminary amendment.</li> <li>14. <input type="checkbox"/> A substitute specification.</li> <li>15. <input checked="" type="checkbox"/> A change of power of attorney and/or address letter.</li> <li>16. <input checked="" type="checkbox"/> Other items or information:            Application as published (WO 01/29641)            2 Sheets of Formal Drawings         </li> </ol>		

CERTIFICATE OF EXPRESS MAILING

Express Mail Mailing Label No. EL6869488 78


Date of Deposit JUNE 18, 2001

I hereby certify that this paper and/or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 C.F.R. 1.10 on the date indicated above and is addressed to the

Commissioner of Patents and Trademarks,  
Washington D.C. 20231

Noemi Chapa  
 Typed Name

Signature

U.S. APPLICATION NO. (If known, see 37 C.F.R. 1.5) <b>09/868375</b>		INTERNATIONAL APPLICATION NO. <b>PCT/EP00/10284</b>		ATTORNEY'S DOCKET NUMBER <b>PHN 17,707</b>	
17 <input type="checkbox"/> The following fees are submitted: BASIC NATIONAL FEE (37 C.F.R. 1.492(A)(1)-(5)):				CALCULATIONS (PTO USE ONLY)	
Search Report has been prepared by the EPO or JPO \$940.00					
International preliminary-examination fee paid to USPTO (37 C.F.R. 1.482) \$720.00					
No international preliminary examination fee paid to USPTO (37 C.F.R. 1.482) but international search fee paid to USPTO (37 C.F.R. 1.445(a)(2)) \$760.00					
Neither international preliminary examination fee (37 C.F.R. 1.482) nor international search fee (37 C.F.R. 1.445(a)(2)) paid to USPTO \$970.00					
International preliminary examination fee paid to USPTO (37 C.F.R. 1.482) and all claims satisfied provisions of PCT Article 33(2)-(4) \$ 96.00					
ENTER APPROPRIATE BASIC FEE AMOUNT =				\$970.00	
Surcharge of \$130.00 for furnishing the oath or declaration later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 C.F.R. 1.492(e)).				\$	
CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE		
Total Claims	18 - 20 =		X \$ 18.00	\$	
Independent claims	1 - 3 =		X \$ 78.00	\$	
MULTIPLE DEPENDENT CLAIMS (if applicable)			+ \$260.00	\$	
TOTAL OF ABOVE CALCULATIONS =				\$970.00	
Reductions by 1/2 for filing by small entity, if applicable. Verified Small Entity Statement must also be filed (Note 37 C.F.R. 1.9, 1.27, 1.28)				\$	
SUBTOTAL =				\$970.00	
Processing fee of \$130.00 for furnishing the English translation later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 C.F.R. 1.492(f)).				\$	
TOTAL NATIONAL FEE =				\$	
Fee for recording the enclosed assignment (37 C.F.R. 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 C.F.R. 3.28,3.31). \$40.00 per property +				\$40.00	
TOTAL FEES ENCLOSED =				\$1,010.00	
				Amount to be refunded	\$
				charged	\$
<p>a. <input type="checkbox"/> A check in the amount \$_____ to cover the above fees is enclosed.</p> <p>b. <input checked="" type="checkbox"/> Please charge my Deposit Account No. <u>14-1270</u> in the amount of <u>\$1,010.00</u> to cover the above fees. A duplicate copy of this sheet is enclosed.</p> <p>c. <input checked="" type="checkbox"/> The Commissioner is hereby authorized to charge any additional fee, with the exception of the Base Issue Fee, which may be required, or credit any overpayment to Deposit Account No. <u>14-1270</u>. A duplicate copy of this sheet is enclosed.</p>					
NOTE: Where an appropriate time limit under 37 C.F.R. 1.494 or 1.495 has not been met, a petition to revive (37 C.F.R. 1.137(a) or (b)) must be filed and granted to restore the application to pending status.					
SEND ALL CORRESPONDENCE TO:			(SIGNATURE)		
Corporate Patent Counsel Phillips Electronics North America Corporation Tarrytown, NY 10591					
			Gregory L. Thorne		
			39,398		
			(REGISTRATION NUMBER)		
DATE OF MAILING:					
June 18, 2001					

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

• In re Application of  
ANTON O.A. ANDREWS ET AL

Atty. Docket

PHN 17,707

Filed: CONCURRENTLY

Title: INFORMATION PROCESSING DEVICE

Commissioner for Patents, Washington, D.C. 20231


AUTHORIZATION PURSUANT TO 37 CFR §1.136(a)(3)  
AND TO CHARGE DEPOSIT ACCOUNT

Sir:

The Commissioner is hereby requested and authorized to treat any concurrent or future reply in this application requiring a petition for extension of time for its timely submission, as incorporating a petition for extension of time for the appropriate length of time.

Please charge any additional fees which may now or in the future be required in this application, including extension of time fees, but excluding the issue fee unless explicitly requested to do so, and credit any overpayment, to Deposit Account No. 14-1270.

Respectfully submitted,

By   
Gregory L. Thorne, Reg. 39,398  
Attorney  
(914) 333-9665

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

Atty. Docket

ANTON O.A. ANDREWS ET AL

PHN 17,707

Filed: CONCURRENTLY

Title: INFORMATION PROCESSING DEVICE

Commissioner for Patents, Washington, D.C. 20231

PRELIMINARY AMENDMENT

Sir:

Prior to calculation of the filing fee and examination, please amend the above-identified application as follows:

IN THE CLAIMS

Please amend the Claims as follows. A marked up copy of the claims is included in an appendix following this amendment for the Examiners convenience.

5. A device as defined claim 4, the flow control (203) means being arranged to reverse the flow direction in response to the user selecting a location and dragging said location against the flow direction.

6. A device as defined in claim 5, the flow zone means (201) being arranged to alternately display links (103) and flow control areas (104) , the selection of a location for controlling the flow being restricted to said flow control areas.

7. A device as defined in claim 6, the device being further arranged to display a selected information unit in a presentation

zone (106), the information selection means (202) being arranged to select the information unit in response to the user selecting a link of the flow zone (102) and dragging it to the presentation zone.

8. A device as defined in claim 7, the device further comprising filtering means (206) comprising user selectable filters (105) for controlling the flow zone (102) to display only links to information units which meet a requirement imposed by a selected filter.

10. A device as defined in claim 9, the device further comprising user-link means (207) for maintaining a plurality of preferred user-links and displaying said user-links in a further zone (110).

12. A device as defined in claim 10, wherein the frequency of display of an information unit in the flow zone is determined by its age and/or popularity.

13. A table comprising a device as defined in claim 12.

14. A device as defined in claim 12, the flow control means (203) being arranged to control the flow of at least a subset of the flowing links in accordance with a relocation of the device, said subset of the flowing links being anchored to a specific location.

16. A system for user selectably presenting information, comprising devices as defined in claim 14, and a data carrier for transporting user-links between said devices.


17. A computer program product enabling a general purpose computer, when executing said computer program product, to function as a device as defined in claim 14.

REMARKS

The foregoing Preliminary Amendment to the claims was made solely to avoid filing the claims in the multiple dependant form so as to avoid the additional filing fee.

The claims were not amended in order to address issues of patentability and Applicants respectfully reserves all rights they may have under the Doctrine of Equivalents. Applicants furthermore reserves their right to reintroduce subject matter deleted herein at a later time during the prosecution of this application or continuing applications.

Respectfully submitted,

By   
Gregory L. Thorne, Reg. No. 39,398  
Attorney  
(914) 333-9665

## Appendix A

5. A device as defined in ~~any one of the claims 2 to~~ claim 4, the flow control (203) means being arranged to reverse the flow direction in response to the user selecting a location and dragging said location against the flow direction.

6. A device as defined in ~~any one of the claims 2 to~~ claim 5, the flow zone means (201) being arranged to alternately display links (103) and flow control areas (104) , the selection of a location for controlling the flow being restricted to said flow control areas.

7. A device as defined in ~~any one of the claims 1 to~~ claim 6, the device being further arranged to display a selected information unit in a presentation zone (106), the information selection means (202) being arranged to select the information unit in response to the user selecting a link of the flow zone (102) and dragging it to the presentation zone.

8. A device as defined in ~~any one of the claims 1 to~~ claim 7, the device further comprising filtering means (206) comprising user selectable filters (105) for controlling the flow zone (102) to display only links to information units which meet a requirement imposed by a selected filter.

10. A device as defined in ~~any one of the claims 1 to~~ claim 9, the device further comprising user-link means (207) for maintaining a plurality of preferred user-links and displaying said user-links in a further zone (110).

12. A device as defined in ~~any one of claims 1 to~~ claim 10, wherein the frequency of display of an information unit in the flow zone is determined by its age and/or popularity.

13. A table comprising a device as defined in ~~any one of the claims 1 to~~ claim 12.

14. A device as defined in ~~any one of the claims 2 to~~ claim 12, the flow control means (203) being arranged to control the flow of at least a subset of the flowing links in accordance with a relocation of the device, said subset of the flowing links being anchored to a specific location.

16. A system for user selectably presenting information, comprising devices as defined in ~~any one of claims 1 to~~ claim 14, and a data carrier for transporting user-links between said devices.

17. A computer program product enabling a general purpose computer, when executing said computer program product, to function as a device as defined in ~~any one of the claims 1 to~~ claim 14.



Information processing device

## FIELD OF THE INVENTION

The invention relates to an information processing device for user selectably presenting information. The invention further relates to a computer program product and a system for user selectably presenting information.

5

## BACKGROUND OF THE INVENTION

With the advance of the world-wide web, there is an increasing amount of information which can be accessed online. Internet terminals are available at people's homes as well as in public places, such as schools, libraries, shopping centres, cafés etc. Internet technology is mainly used as a means for accessing information from anywhere in the world, irrespective of the location of the information source. Beside that, there is a growing interest in applying internet technology for use in local communities. For example, internet technology could allow local people to contribute information which can help, interest or entertain other local people, thus strengthening the links among members of the local community and their activities. To support such information exchange within a local community and encourage people to participate in local activities, there is a need for an easy-to-use and inviting user interface for exploring the online information.

10

15

## OBJECT AND SUMMARY OF THE INVENTION

It is an object of the invention to provide an information processing device and system of the type defined in the opening paragraph, providing an improved user interface which is easy to use and encourages users to explore online information. To that end, the information processing device according to the invention comprises flow zone means for displaying a flow zone comprising flowing links to respective information units, and information selection means for presenting a selected information unit in response to a user selecting a link in the flow zone. The flow zone may be any suitable area on a display screen, e.g. a narrow band adjacent a border. The flowing links may be text strings indicating a particular topic of information or graphical icons representing such a topic. If the number of links is higher than the number of links which can be displayed in the flow zone, the flowing

20

25

09/868375-0001

links disappear from the screen as soon as they reach the end of the flow zone and re-appear after a while at the beginning of the flow zone. In this way it is achieved that the links automatically attract the user's attention. The user is not required to explicitly request which links are available and subsequently browse a large set of such links. The information processing device could be built into a table for use in a public place such as a café, in which case the flow zone may run along all borders of the display screen so as to allow people to recognize the information links from multiple directions.

An embodiment of the information processing device according to the invention is characterized by the flow zone means comprising user operable flow control means (203) for controlling the flow speed and/or flow direction of the flowing links (103). This has the advantage that the user can adapt the flow speed to his personal preferences. For example, when reading is difficult because of bad lighting conditions the flow speed may be decreased. The flow control means may comprise dedicated controls, for example, to decrease and increase the flow speed.

Preferably, the user is allowed to control the flow speed by direct manipulation. An embodiment of the device according to the invention is characterized by the flow control means (203) comprising user operable point-and-select means (204) for selecting a location within the flow zone, the flow control means being arranged to stop the flow in response to the user statically selecting a location within the flow zone. The point-and-select means may comprise a computer mouse, joystick for relocating a cursor on the display screen and confirming an operation at the new location, for example by means of a button click. Alternatively, the device comprises a touch screen, allowing the user to stop the flow by touching the screen at a position within the flow zone.

An embodiment of the device according to the invention is characterized by the flow control means (203) being arranged to increase the flow speed in response to the user selecting a location and dragging said location in the flow direction. This provides an intuitive way of increasing the flow speed. The user gets the impression that the flow can be accelerated forward, just like spinning a wheel. The resulting speed may depend on whether the cursor or touch location ends within or outside the flow zone. In the former case, the acceleration may be temporary and succeeded by a deceleration and eventual halting of the flow. The flow control means may simulate inertia and friction, for example, by gradually decreasing the flow speed, instead of instantaneously stopping the flow, in response to the user touching the flow zone. Similarly, the induced speed increase may be gradual, thus strengthening the impression of spinning a wheel.

An embodiment of the device according to the invention is characterized by the flow control (203) means being arranged to reverse the flow direction in response to the user selecting a location and dragging said location against the flow direction. In this way it is achieved that the user can reverse the flow direction if, for example, he wants to return to a link which drew his attention just before it disappeared from the screen. The inversion can be achieved by the same stroking gestures as used for acceleration of the flow speed, but in the opposite direction.

An embodiment of the device according to the invention is characterized by the flow zone means (201) being arranged to alternately display links (103) and flow control areas (104), the selection of a location for controlling the flow being restricted to said flow control areas. This has the advantage that a similar location selection operation may be used to select an information unit and control the flow, dependent on whether the selected location is within a link or a flow control area. For example, if the user touches the flow zone within a flow control area the flow stops, while if he touches the flow zone within an icon which constitutes a link the related information unit may be presented.

An embodiment of the device according to the invention is characterized by the device being further arranged to display a selected information unit in a presentation zone (106), the information selection means (202) being arranged to select the information unit in response to the user selecting a link of the flow zone (102) and dragging it to the presentation zone. Preferably, the presentation zone occupies a major part of the screen, allowing a detailed presentation of the information unit. The flow zone may be located adjacent or bent around the presentation zone, allowing links to be dragged from the flow zone into the presentation zone, thereby expanding the link to the information unit it refers to. Conversely, the presented information unit may be dragged from the presentation zone to the flow zone, thereby collapsing into a link (icon).

An embodiment of the device according to the invention is characterized by the device further comprising filtering means (206) comprising user selectable filters (105) for controlling the flow zone (102) to display only links to information units which meet a requirement imposed by a selected filter. In this way, the number of links displayed in the flow zone can be reduced in that only links related to particular topics, for example 'local events', are shown.

An embodiment of the device according to the invention is characterized by the filtering means (206) being arranged to adapt the selected filter so as to display links to information units similar to the selected information unit. Such adaptation of the active filter

may be achieved by dragging a link or information unit to a screen area representing the active filter, thus further restricting the current set of links in the flow zone to those links referring to information units which are similar to the one currently presented.

An embodiment of the device according to the invention is characterized by  
5 the device further comprising user-link means (207) for maintaining a plurality of preferred user-links and displaying said user-links in a further zone (110). The user is thus allowed to maintain a set of personal or user-links which may be presented in a separate area of the screen, possibly in a flowing way as well. A personal link may be dragged into the presentation zone to present the related information unit, and to the flow zone to include the  
10 personal link into the set of flowing links. Conversely, the user may drag links and information units into the area of the personal links, thus establishing a new personal link. In an alternative embodiment, the flow zone and the further zone are identical, all personal links thus being included into the set of flowing links in the flow zone.

An embodiment of the device according to the invention is characterized by  
15 the device further comprising means (208, 113) for communicating with a user supplied data carrier for storing and/or retrieving said user-links. Said means may comprise a floppy disk drive or similar means for reading and writing data carriers. Alternatively, it may comprise means for detecting the nearness of, or contact with, a physical token wherein the personal links are stored, and receiving or transmitting said links by means of, for example,  
20 transponder technology or any other suitable method of exchanging data with a data carrier. Such a token may have any shape or size, but preferably its size and weight are optimal for carrying it along. It may be combined with another utensil, such as a watch, a chip-card or a ring.

An embodiment of the device according to the invention is characterized in  
25 that the frequency of display of an information unit in the flow zone is determined by its age and/or popularity. Information units which are frequently selected, will occur more often in the flow zone than information units which are less frequently selected. Additionally, the frequency of display is affected by its age. Information units which have been created only recently will be presented more often than older units. Note that age and popularity have  
30 opposite effects. An older but popular unit will be presented quite often, while a recently created unit which is never selected will be displayed less often. Eventually, old and unpopular information units may 'die', which means that they will not be displayed again.

An embodiment of the device according to the invention is characterized by the flow control means (203) being arranged to control the flow of at least a subset of the

09868375 "051801  
T08T90" 5E9860

flowing links in accordance with a relocation of the device, said subset of the flowing links being anchored to a specific location. Information units can thus be assigned to a specific location, for example a bus stop or a shop window. Such information units can only be presented if the device is nearby the specific location. In a preferred embodiment the device is a portable device. For example, the device could be a hand-held device, possibly integrated with a mobile computer or telephone. The position of the device may be determined by means of, for example, a GPS component. If the device is moved within a certain distance from the location, the device 'becomes aware' of the assigned information unit and presents a link to the unit in the flow zone, thus enabling the user to view its content. In an alternative embodiment there are two or more stages, wherein at relatively large distances between the location and the device the links are displayed in the flow zone, but the user is not yet allowed to view its content. The user is thus encouraged to actually go to the specific location. The flow zone, or only a part of it, may represent a map of the environment which shifts in accordance with the device's movements, similar to a street map in a car navigation device. Information units anchored to various locations within the environment are projected into the map. Another part of the flow zone may show flowing links to information units which are not anchored to specific locations, for example as a kind of 'river' adjacent or through the map. The anchored information may be stored on an information processing device at the location to which the information is anchored. Awareness of the anchored information can then be accomplished by means of wireless communication between the information processing device and the portable device. Alternatively, the anchored information is only virtually present, so not actually stored, at said location. The portable device has access to the information via a network, but only if the portable device is near the anchorage location.

The invention further relates to a system comprising devices of the type as defined above and physical tokens for carrying data between said devices. The devices may constitute or be integrated with semi-electronic bulletin boards etc., and be a part of a café table, a mirror or a door etc. The invention also relates to a computer program product enabling a general purpose computer, when executing said computer program product, to function as a device according to the invention.

## BRIEF DESCRIPTION OF THE DRAWINGS

These and other aspects of the invention are apparent from and will be elucidated, by way of a non-limitative example, with reference to the embodiment(s) described hereinafter. In the drawings,

5                   Figure 1 schematically shows a screen presentation of an embodiment of the information processing device according to the invention,

Figure 2 shows a diagram of an information processing device according to the invention,

Figure 3 shows an example of a screen representation of a street-map on an information  
10                   processing device according to the invention.

## DESCRIPTION OF EMBODIMENTS

Figure 1 shows a part 100 of the upper side of a table, for example a coffee  
15                   corner table, having a built-in information processing device and touch screen 101 according to the invention. The table has a round or oval shape and the touch screen occupies half of the table top 100. The borders of the touch screen 101 follow the edge of the table top 100. Alternatively, the touch screen 101 may be rectangular and covered partially to create the impression of a curved shape. The touch screen 101 comprises a flow zone 102, a  
20                   presentation zone 106, an agent zone 105, a mode zone 107, a token zone 110 and an annotation zone 115

The outermost area of the touch screen 101 comprises the flow zone 102 which presents information links 103 which by default flow at a current speed from left to right. Each link comprises a text string or graphical icon representing the related information  
25                   unit. In a more advanced embodiment a link may present moving pictures and/or sound. Between each pair of links 103 a flow control area 104 is displayed, which enables the user to control the flow speed and/or flow direction. If the user touches the touch screen 101 at any one of the flow control areas 104 the flow stops, allowing the user to study the currently displayed links more carefully. In another mode, touching a flow control area 104 results in a  
30                   de-acceleration and eventual halting of the flow, thus creating the impression of friction. In a more advanced embodiment the touch screen further comprises means for measuring the pressure exerted by the user's finger, and touching a flow control area 104 results in a deacceleration in dependence on the measured pressure. If the user touches a flow control area 104 and drags it with a stroking gesture into the flow direction, the flow speed increases,

the acceleration being dependent on the speed of the stroking gesture. If the stroking gesture ends outside the flow zone 102, the flow speed remains at the higher level, or, in an alternative embodiment, gradually decreases to the original level. If the stroking gesture ends inside the flow zone 102, the flow stops or deaccelerates, dependent on whether friction is simulated.

A stroking gesture against the flow direction causes a change of the flow direction while the flow speed depends on the speed of the stroking gesture.

If the user touches an information link 103, the link expands to a full presentation 108 of the related information unit, which is performed in the presentation zone 106. In an alternative embodiment the user needs to explicitly drag a link 103 into the presentation zone 106, which does away with the necessity of separate flow control areas. The presentation zone 106 preferably occupies a major and central area of the touch screen 101. The actual presentation 108 has a fixed position and orientation within the presentation zone 106. In an alternative embodiment the position and orientation may depend on the start and/or end position of the dragged link 103. For example, if the link 103 was dragged to the left side of the presentation zone 106 of Figure 1, the orientation of the presentation 108 may be optimized for a viewer sitting at the left side of the table top 100. Dragging a presentation 108 within the presentation zone 106 may have the same effect. The presentation 108 can include any type of information, such as text, graphics, moving pictures and sound. Associations 109 linked to particular content are also shown in the presentation zone 106 and may be expanded to a full presentation by touching them.

The agent zone 105 is located in the upper left of the touch screen 101. Here, the currently active filter agent will be represented and displayed. For example, the owner of a coffee corner may install a default filter agent selecting information links relating to events taking place in or in the neighborhood of the coffee corner. Touching the agent zone 105 may select a next filter agent from a list of agents, or may cause a list of available filter agents to be displayed, allowing the user to select an appropriate one. Selection of a new agent causes the agent zone 105 to show an icon representing the new agent and the flow zone 102 to include only links to information units meeting the criteria imposed by the newly selected agent. A link 103 or a presentation 108 may be dragged into the agent area 105 to refine the current filter, so as to select content which is similar to the content dragged into the agent area 105. Dragging a link 103 or a presentation 108 causes the object to take an intermediate presentation form 114, which can then be dragged to the desired location. For example,

touching the presentation 108 causes it to be minimized into an icon 114, after which it may be dragged to the filter zone 105 or to the flow zone 102.

5 A mode selection zone 107 allows the user to select another mode, such as a tablecloth mode, a TV mode or a game mode. Selection of a mode proceeds in a manner similar to the selection of a filter agent.

10 The token zone 110 is located in the upper center of the touch screen 101. It surrounds a small physical dish-like island or token detector 113 where actual tokens (not shown), carrying personal information links, can be placed. If a token has not been placed on the island 113, the token zone 110 will appear to be empty. If a loaded token is placed, the personal links stored in the token will be retrieved and displayed in the token zone 110, preferably as a carousel shaped rapid serial visual presentation (RSVP). This technique can be used to get a quick overview of a relative large volume of predominately image based content items, thus effectively forming a rotating carousel. Two controls 112 allow the content of the token zone 110 to be riffled in two opposite directions. The personal links may be dragged from the token zone 110 to the presentation zone 106, the flow zone 102, the agent zone 105 and the annotation zone 115.

In an alternative embodiment the token zone 110 and the flow zone 102 are integrated, whereby the personal links are displayed upon selection of a personal agent.

20 The annotation zone 115 is located in the upper right of the touch screen 101. Content from the presentation zone 106, the flow zone 102 or the token zone 110 can be dragged into this zone to be annotated. This will cause an annotation space and annotation tool options such as keyboard, pen or voice (not shown) to be displayed in the presentation zone 106. If the annotation zone is touched (i.e. content is not dragged into it), the annotation space and annotation tool options will be displayed, enabling new content to be created.

25 Selection of the keyboard option causes a virtual keyboard to be displayed, while selection of the pen option allows the user to use a dedicated pen for entering textual or graphical data. Selection of the the voice option activates a built-in microphone, allowing the user to enter a speech annotation.

30 The tokens can be used to store and transport personal links between similar information processing devices according to the invention. Such information processing devices may have all the features of the above embodiment or only some of said features. For example, an information processing device according to the invention may be integrated in an interactive bulletin board hanging on a wall. Such an embodiment is, due to its size and location, less suitable for full interaction with a single user, and may comprise only the

0066375-051801  
T09T90 "5E9960



presentation zone 106, the token zone 110 and the token detector 113. Using such a device, a user may create a personal link to information which may interest him, store the personal link into a token and carry it to another device according to the invention offering the functionality and privacy to explore the information.

5                   Figure 2 shows a diagram of an information processing device according to the invention.

                  The information processing device 200 comprises flow zone means 201, information selection means 202, flow control means 203, point-and-select means 204, a display screen 205, filtering means 206, user-link means 207 and detection means 208. The flow zone means 201 perform the selection and display of information links in the flow zone 202. The flow control means 203 enable the user to control the flow speed and/or flow direction of the information links in the flow zone 202. The point-and-select means 204 may comprise a computer input device such as a mouse or joystick, or a touch sensitive layer over the display screen 205. The means 204 enable the user, inter alia, to select information links so as to start a full presentation of the related content. The filtering means 206 enable the user to select and apply a filter acting on the set of available information links. The user-link means 207 control the token zone 110 to display personal tokens obtained from a token detected by the detection means 208 or obtained by dragging information units to the token zone 110.

20                   Figure 3 shows an example of a screen representation of a street-map on a information processing device according to the invention. On a display screen 301 of a presentation device a street-map 304 is displayed representing the direct environment of the information processing device. This is accomplished by means of positioning means 302, which may, for example, include a GPS receiver and mapping means for storing or downloading map data for generating the street-map 304. Presentation control means 303 are provided for controlling to which extent the user has access to the information units. Various representations of information units are depicted in Figure 3. The position of the information processing device is indicated by the black arrow 309, i.e. close to the street-corner which is the anchorage location of information unit 307. The screen representation of information unit 307 ('icon' XYZ) is supposed to be representative of its content. The user may request a full presentation if he wishes.

                  The information units 306 and 308 anchored at the other street corners are represented by small cloud call-outs, to make the user aware of their existence, and giving only limited information about their contents, e.g. only the type of the respective information

units. The user would have to go to their respective locations to get more information by means of their representative icons, and eventually through their full presentation.

Information units 305, 310 and 311 which are even further away from the information processing device are represented by small symbols which just make the user aware of their existence but say nothing about their content.

In a further embodiment, the street-map 304 is presented in a fish-eye view mode, showing much detail in the center, and showing a large deformed part of the remote environment with less details near the edges of the display screen. Alternatively, the information processing device comprises zooming means for generating various zoomed-in and zoomed-out views of varying degrees of detail. In a zoomed-out view, all representations of information units (even the closest ones) may be small 'awareness' symbols in order to keep the screen comprehensible.

The street-map 304 is continuously updated in accordance with the relocations of the presentation device, and dependent on the distances between the information processing device and the various anchorage locations, representations of information units change from informative to less informative and vice versa, or appear and disappear completely. The street-map 304 thus constitutes a flow zone in itself. Additionally, a flow zone of non-anchored information units may be provided, for example as a kind of river adjacent the street-map.

In summary, the invention relates to a system and information processing device for user selectably presenting information. It comprises a display screen (101) having various areas or zones for facilitating the exploration of the information. A flow zone (102) shows links or pointers (103) to various information units or content, which links continuously flow in a certain direction. The user is allowed to control the flow speed and flow direction and to select any link so as to view a full presentation (108) of the related content in a presentation zone (106). The flow zone may be controlled to include only links to selected content in dependence on a user selectable filter agent (105). Personal links may be stored into and loaded from a physical token, using a token detector (113) and token area (110) displaying the personal links. The token can be used to carry personal links between information processing devices of the system according to the invention.

Although the invention has been described with reference to particular illustrative embodiments, variants and modifications are possible within the scope of the

inventive concept. Thus, for example, the various screen areas discussed above may be located at different parts of the screen. The flow zone may comprise information links flowing in multiple directions simultaneously. The invention can be implemented by means of hardware comprising several distinct elements, and by means of a suitably programmed computer. In the device claim enumerating several means, several of these means can be embodied by one and the same item of hardware.

The word 'content' is used where information (units) or information links are referenced. The word 'comprising' does not exclude the presence of other elements or steps than those listed in a claim. In the claims, any reference signs placed between parentheses shall not be construed as limiting the claim.

A 'computer program' is to be understood to mean any software product stored on a computer-readable medium, such as a floppy-disk, downloadable via a network, such as the Internet, or marketable in any other manner.

0986375-061301

## CLAIMS:

1. An information processing device for user selectably presenting information, comprising flow zone means (201) for displaying a flow zone (102) comprising flowing links (103) to respective information units, and information selection means (202) for presenting a selected information unit in response to a user selecting a link in the flow zone.

5

2. A device as defined in claim 1, the flow zone means comprising user operable flow control means (203) for controlling the flow speed and/or flow direction of the flowing links (103).

10

3. A device as defined in claim 2, the flow control means (203) comprising user operable point-and-select means (204) for selecting a location within the flow zone, the flow control means being arranged to stop the flow in response to the user statically selecting a location within the flow zone.

15

4. A device as defined in claim 3, the flow control means (203) being arranged to increase the flow speed in response to the user selecting a location and dragging said location in the flow direction.

20

5. A device as defined in any one of the claims 2 to 4, the flow control (203) means being arranged to reverse the flow direction in response to the user selecting a location and dragging said location against the flow direction.

25

6. A device as defined in any one of the claims 2 to 5, the flow zone means (201) being arranged to alternately display links (103) and flow control areas (104), the selection of a location for controlling the flow being restricted to said flow control areas.

7. A device as defined in any one of the claims 1 to 6, the device being further arranged to display a selected information unit in a presentation zone (106), the information

selection means (202) being arranged to select the information unit in response to the user selecting a link of the flow zone (102) and dragging it to the presentation zone.

8. A device as defined in any one of the claims 1 to 7, the device further comprising filtering means (206) comprising user selectable filters (105) for controlling the flow zone (102) to display only links to information units which meet a requirement imposed by a selected filter.

9. A device as defined in claim 8, the filtering means (206) being arranged to adapt the selected filter so as to display links to information units similar to the selected information unit.

10. A device as defined in any one of the claims 1 to 9, the device further comprising user-link means (207) for maintaining a plurality of preferred user-links and displaying said user-links in a further zone (110).

11. A device as defined in claim 10, the device further comprising means (208, 113) for communicating with a user supplied data carrier for storing and/or retrieving said user-links.

12. A device as defined in any one of claims 1 to 10, wherein the frequency of display of an information unit in the flow zone is determined by its age and/or popularity.

13. A table comprising a device as defined in any one of the claims 1 to 12.

14. A device as defined in any one of the claims 2 to 12, the flow control means (203) being arranged to control the flow of at least a subset of the flowing links in accordance with a relocation of the device, said subset of the flowing links being anchored to a specific location.

15. A device as defined in claim 14, said device being a portable device.

16. A system for user selectably presenting information, comprising devices as defined in any one of claims 1 to 14, and a data carrier for transporting user-links between said devices.
- 5 17. A computer program product enabling a general purpose computer, when executing said computer program product, to function as a device as defined in any one of the claims 1 to 14.
18. A data carrier for use in a system as defined in claim 16.

0930376-061304  
"03T90" 52E9960

## ABSTRACT:

The invention relates to a system and information processing device for user selectably presenting information. It comprises a display screen (101) having various areas or zones for facilitating the exploration of the information. A flow zone (102) shows links or pointers (103) to various information units or content, which links continuously flow in a certain direction. The user is allowed to control the flow speed and flow direction and select any link so as to view a full presentation (108) of the related content in a presentation zone (106). The flow zone may be controlled to include only links to selected content in dependence on a user selectable filter agent (105). Personal links may be stored into and loaded from a physical token, using a token detector (113) and token area (110) displaying the personal links. The token can be used to carry personal links between information processing devices of the system according to the invention.

Fig. 1

1/2




FIG. 1



2/2




FIG. 2




FIG. 3

09/868375

JC18 Rec'd PCT/PTO 1 8 JUN 2001

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

Atty. Docket

ANTON O.A. ANDREWS ET AL

PHN 17,707

Filed: CONCURRENTLY

Title: INFORMATION PROCESSING DEVICE

Commissioner for Patents, Washington, D.C. 20231

APPOINTMENT OF ASSOCIATES

Sir:

The undersigned Attorney of Record hereby revokes all prior appointments (if any) of Associate Attorney(s) or Agent(s) in the above-captioned case and appoints:


**GREGORY L. THORNE**

**(REGISTRATION NO. 39,398)**

c/o U.S. PHILIPS CORPORATION, Intellectual Property Department, 580 White Plains Road, Tarrytown, New York 10591, his Associate Attorney(s)/Agent(s) with all the usual powers to prosecute the above-identified application and any division or continuation thereof, to make alterations and amendments therein, and to transact all business in the Patent and Trademark Office connected therewith.

ALL CORRESPONDENCE CONCERNING THIS APPLICATION AND THE LETTERS PATENT WHEN GRANTED SHOULD BE ADDRESSED TO THE UNDERSIGNED ATTORNEY OF RECORD.

Respectfully,



Michael E. Marion, Reg. 32,266  
Attorney of Record

Dated at Tarrytown, New York  
on June 15, 2001.

COMBINED DECLARATION FOR PATENT APPLICATION AND POWER OF ATTORNEY  
(includes Reference to PCT International Applications)

ATTORNEY'S DOCKET  
NUMBER  
**PHN 17.707 US**

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention

entitled: **"Information processing device"**

the specification of which (check only one item below):

☐ is attached hereto.

☐ was filed as United States application

Serial No

on

and was amended

on

☒ was filed as PCT international application

Number PCT/EP00/10284

on 18 October 2001

and was amended under PCT Article 19

on \_\_\_\_\_ (if applicable).

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, § 1.56(a).

I hereby claim foreign priority benefits under Title 35, United States Code, § 119 of any foreign application(s) for patent or inventor's certificate or of any PCT international application(s) designating at least one country other than the United States of America listed below and have identified below any foreign application(s) for patent or inventor's certificate or any PCT international application(s) designating at least one country other than the United States of America filed by me on the same subject matter having a filing date before that of the application(s) of which priority is claimed:

PRIOR FOREIGN/PCT APPLICATION(S) AND ANY PRIORITY CLAIMS UNDER 35 U.S.C. 119:

COUNTRY	APPLICATION NUMBER	DATE OF FILING DAY, MONTH, YEAR	PRIORITY CLAIMED UNDER 35 USC 119
Europe	99203442.1	20 October 1999	YES

U.S. DEPARTMENT OF COMMERCE -Patent and Trademarks Office  
(July 1994)

Combined Declaration For Patent Application and Power of Attorney (Continued)  
(includes Reference to PCT International Applications)

Attorneys Docket Number  
**PHN 17.707 US**

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith. (List name and registration number)

Jack E. Haken, Reg. No. 26,902  
Michael E. Marion, Reg. No. 32, 666  
Edward M. Blocker, Reg. No. 30,245

Direct Telephone Calls to:  
(name and telephone number)  
(914)332-0222

201	FULL NAME OF INVENTOR	FAMILY NAME <b>ANDREWS</b>	FIRST GIVEN NAME <b>Anton</b>	SECOND GIVEN NAME <b>Oguzhan Alford</b>
	RESIDENCE & CITIZENSHIP	CITY <b>Eindhoven</b>	STATE OR FOREIGN COUNTRY <b>The Netherlands</b>	COUNTRY OF CITIZENSHIP <b>Great Britain</b> NLX
	POST OFFICE ADDRESS	POST OFFICE ADDRESS <b>Prof. Holstlaan 6</b>	CITY <b>5656 AA Eindhoven</b>	STATE & ZIP CODE/COUNTRY <b>The Netherlands</b>
202	FULL NAME OF INVENTOR	FAMILY NAME <b>MATTHEWS</b>	FIRST GIVEN NAME <b>Peter</b>	SECOND GIVEN NAME <b>George</b>
	RESIDENCE & CITIZENSHIP	CITY <b>Eindhoven</b>	STATE OR FOREIGN COUNTRY <b>The Netherlands</b>	COUNTRY OF CITIZENSHIP <b>Great Britain</b> NLX
	POST OFFICE ADDRESS	POST OFFICE ADDRESS <b>Prof. Holstlaan 6</b>	CITY <b>5656 AA Eindhoven</b>	STATE & ZIP CODE/COUNTRY <b>The Netherlands</b>
203	FULL NAME OF INVENTOR	FAMILY NAME <b>NIKOLOVSKA</b>	FIRST GIVEN NAME <b>Lira</b>	SECOND GIVEN NAME
	RESIDENCE & CITIZENSHIP	CITY <b>Eindhoven</b>	STATE OR FOREIGN COUNTRY <b>The Netherlands</b>	COUNTRY OF CITIZENSHIP <b>Republic of Macedonia</b> NLX
	POST OFFICE ADDRESS	POST OFFICE ADDRESS <b>Prof. Holstlaan 6</b>	CITY <b>5656 AA Eindhoven</b>	STATE & ZIP CODE/COUNTRY <b>The Netherlands</b>

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

SIGNATURE OF INVENTOR 201 CITY	SIGNATURE OF INVENTOR 202	SIGNATURE OF INVENTOR 203
DATE 3rd May 2001	DATE 3rd May 2001	DATE

U.S. DEPARTMENT OF COMMERCE- Patent and Trademarks Office

(July 1994)

Combined Declaration For Patent Application and Power of Attorney (Continued)  
(includes Reference to PCT International Applications)

Attorneys Docket Number  
**PHN 17.707 US**

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith. (List name and registration number)

Jack E. Haken, Reg. No. 26,902  
Michael E. Marion, Reg. No. 32, 66 6  
Edward M. Blocker, Reg. No. 30,245

Direct Telephone Calls to:  
(name and telephone number)  
(914)332-0222

201	FULL NAME OF INVENTOR	FAMILY NAME <b>ANDREWS</b>	FIRST GIVEN NAME <b>Anton</b>	SECOND GIVEN NAME <b>Oguzhan Alford</b>
	RESIDENCE & CITIZENSHIP	CITY <b>Eindhoven</b>	STATE OR FOREIGN COUNTRY <b>The Netherlands</b>	COUNTRY OF CITIZENSHIP <b>Great Britain</b>
	POST OFFICE ADDRESS	POST OFFICE ADDRESS <b>Prof. Holstlaan 6</b>	CITY <b>5656 AA Eindhoven</b>	STATE & ZIP CODE/COUNTRY <b>The Netherlands</b>
202	FULL NAME OF INVENTOR	FAMILY NAME <b>MATTHEWS</b>	FIRST GIVEN NAME <b>Peter</b>	SECOND GIVEN NAME <b>George</b>
	RESIDENCE & CITIZENSHIP	CITY <b>Eindhoven</b>	STATE OR FOREIGN COUNTRY <b>The Netherlands</b>	COUNTRY OF CITIZENSHIP <b>Great Britain</b>
	POST OFFICE ADDRESS	POST OFFICE ADDRESS <b>Prof. Holstlaan 6</b>	CITY <b>5656 AA Eindhoven</b>	STATE & ZIP CODE/COUNTRY <b>The Netherlands</b>
203	FULL NAME OF INVENTOR	FAMILY NAME <b>NIKOLOVSKA</b>	FIRST GIVEN NAME <b>Lira</b>	SECOND GIVEN NAME
	RESIDENCE & CITIZENSHIP	CITY <b>Eindhoven</b>	STATE OR FOREIGN COUNTRY <b>The Netherlands</b>	COUNTRY OF CITIZENSHIP <b>Republic of Macedonia</b>
	POST OFFICE ADDRESS	POST OFFICE ADDRESS <b>Prof. Holstlaan 6</b>	CITY <b>5656 AA Eindhoven</b>	STATE & ZIP CODE/COUNTRY <b>The Netherlands</b>

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true: and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

SIGNATURE OF INVENTOR 201  
CITY

SIGNATURE OF INVENTOR 202

SIGNATURE OF INVENTOR 203

*Lira Nikolovska*

DATE

DATE

DATE 3rd May 2001

U.S. DEPARTMENT OF COMMERCE- Patent and Trademarks Office

(July 1994)